

## Wide Format Scanning and Copying Software

[Installation](#)

[Version Changes](#)

[Supported Printers](#)

### Installation

This software can be run on Windows 2003 Server (Standard Edition) as well as on 32 and 64 bit versions of Windows XP (Pro), Windows Vista (Business), Windows 7 (Professional) and Windows 8 (Enterprise).

At first start-up you are required to specify a Product Key. The Product Key is located on the CD cover or distributed as printed or electronic document.

### Version Changes

#### Changes in 3.1

|       |     |  |
|-------|-----|--|
| 21640 | New | Improved multi roll selection on Canon printers.   |
| 24931 | New | Support for Epson SC-T3000/5000/7000   |
| 26327 |     |  |
| 25749 | New | Support for:   |
| 25750 |     | Océ ColorWave 300/550/600/650  |
| 25751 |     | Océ PlotWave 300/350/900   |
| 25752 |     | Océ TCS300/400/500   |
| 25756 |     | Océ TDS300/320/400/450/600/700/750/800/860   |
| 24627 | New | The 'File name' option is now displayed without file extension to ease entry and modification.   |
| 25784 | New | Improved automatic paper size detection. The Auto Size Scan Length option has been removed as part of this.  |
| 26268 |     |  |
| 26037 | New | Support for 64 bit TWAIN clients.  |
| 26081 | New | Improved Adaptive Threshold image type with revised presets. Available for 2012 scanners only.   |
| 26265 |     |  |
| 26281 | New | Support for Canon iPF760/765.  |
| 26283 | New | Added bi-directional communication with Canon printers via LAN. This limit the media list to those medias currently loaded in the printer and automatically selects the proper media source. |
| 26292 |     |  |
| 26328 | New | Added 'Compensate for margins' option under Print panel. This allows print to stay same size as original.  |
| 21086 | Fix | When opening TIF files in planar format the program crashes.   |
| 21329 | Fix | Revised Canon iPF755 media list to match printer.  |
| 23060 | Fix | The 'Scan speed limit' option was incorrectly displayed with decimals.   |
| 26080 | Fix | In the 'Product Upgrade' dialog the button texts were confusing.   |
| 21105 | Fix | When trying to scan with the scanner's lid opened a wrong error message was shown.   |
| 24285 | Fix | Start-up time and general GUI responsiveness was very slow on some systems.  |
| 24619 | Fix | If no printers were installed in Windows then several error messages were shown during start-up.   |
| 24684 | Fix | If the 'Optimize for Speed' option was used, the 'Raw file duplicate' was not disabled.  |
| 24802 | Fix | When exceeding length limit for JPG/PDF the error message was not informative.   |
| 24819 | Fix | The numbering field in the 'File name' option could generate wrong numbers.  |
| 24888 |     |  |
| 25142 |     |  |
| 25276 |     |  |
| 24912 | Fix | Context sensitive help was missing in some dialogs.  |
| 25000 | Fix | Dialogs in ICC wizard were shown behind the main window.   |
| 25358 |     |  |
| 25528 |     |  |
| 25020 | Fix | When having multiple rolls of same media in HP printers, the media appeared multiple times in the media selection list.  |
| 25295 | Fix | When resetting the threshold value for Fixed Threshold images, the value was not properly reset when using the Negative original option.   |
| 25315 | Fix | Several user interface corrections.  |
| 25563 |     |  |
| 25808 |     |  |
| 25721 |     |  |
| 26080 |     |  |
| 26082 |     |  |
| 26135 |     |  |
| 26159 |     |  |
| 26168 |     |  |
| 25325 | Fix | Color space and ICC profile selection were shown for monochrome scanners.  |
| 25333 | Fix | The 'search for scanners' option during application start-up did not work.   |
| 25337 | Fix | When writing an image to a PDF file and using Resizing this could sometimes result in an error.  |
| 25554 | Fix | T7100 Monochrome model was incorrectly considered as a color printer.  |
| 25723 | Fix | File Browse option opened in wrong location when using the <MYPICTURES> field.   |
| 25837 | Fix | If JPG/PDF width limit was exceeded the application crashed.   |
| 25985 | Fix | A Reset option for the Accounting panel was missing.   |
|       |     |  |

|       |     |   |
|-------|-----|---|
| 26047 | Fix | Color picker for B/W points were very slow.   |
| 26068 | Fix | The application did not detect if Windows printer drives were uninstalled.  |
| 26087 | Fix | When using a dual monitor setup, some pop-up lists could appear on the wrong monitor.                             |
| 26134 | Fix | When cancelling a scan to a JP2 file using auto length an error occurred.   |
| 26140 | Fix | The Smoothen option set to 3 or 5 gave image artifacts.   |
| 26164 | Fix | The CLC wizard sometimes failed while scanning the sheet.   |
| 26171 | Fix | The default printer quality has been changed from Best to Fast.   |
| 26181 | Fix | When saving an opened single-page file to a multipage format an error occurred.                                   |
| 26186 | Fix | Several user interface corrections.   |
| 26195 | Fix | When automatically creating new folders, the user is no longer prompted for permission.                           |
| 26231 | Fix | 'Auto size to' now also snaps the scan in the length direction to selected standard series.                       |
| 26262 | Fix | 'Auto size to' now available for all scanner models. For ISO A series multiples of A4 lengths are also supported. |
| 26287 | Fix | When manually adjusting image alignment in a preview the application could freeze.                                |
| 26311 | Fix | When opening corrupt TIF files the program crashed.   |
| 26371 | Fix | One-Touch buttons on the scanner did not react if a file was opened in the File task.                             |

#### Changes in 3.0

|                         |     |   |
|-------------------------|-----|---|
| 25603                   | New | Windows 8 (Enterprise) support.   |
| 25580                   | New | Support for HP Designjet T120 and T520.   |
| 16579<br>20972          | New | Grayscale adjustments added to the Adaptive Threshold image type. This includes black/white point, gamma, sharpen, soften and display of histogram.   |
| 25959                   | New | The B&W Line preset has been replaced by B&W Fine Line, B&W Old Drawing and B&W Blueprint.  |
| 25895                   | New | The Color Photo preset no longer adds sharpen.  |
| 25866                   | New | New Auto Black/White Point option for Color, Grayscale, and Adaptive Threshold image types.   |
| 25888                   | New | Folder and File name now defaults to <MYPICTURES>\scan <001>.tif.   |
| 25261<br>25958<br>25889 | New | ICC profiles are now listed by their description instead of their file name.  |
| 24935<br>25892          | Fix | Zoom buttons could become disabled in some situations.  |
| 24998                   | Fix | The installation could wrongly request the user to manually install .NET 2.0 under Windows 64 bit.  |
| 25831                   | Fix | Missing message when opening a third party PDF file and the GhostScript utility was not installed.  |
| 25835                   | Fix | Scanning in grayscale to a PDF file after having scanned in color could give an error.  |
| 25854                   | Fix | Copying to Canon printers using auto length could output too much media.  |
| 25862                   | Fix | Improved CLC sheet recognition by adding extra top margin to the output. Only added when printing in landscape orientation, A4/Letter printers are still supported by printing in portrait orientation. |
| 25954                   | Fix | When saving a preset, some parameter sections could not be excluded.  |
| 25848                   | Fix | Application could pause if panning image outside the image borders.   |
| 25893                   | Fix | Speed improvements to selection frame used for Detail scan and color picker.  |
| 25980                   | Fix | Application could crash on slow PCs when finalizing a scan.   |

#### Changes in 2.2.2

|       |     |  |
|-------|-----|--|
| 25535 | Fix | Printing problems for Canon iPF760/765 (only in grayscale and B&W) and HP Designjet T1300. |
| 25553 | Fix | Problem reading printer status on USB-connected newer HP printers on some PCs.             |
| 25557 | Fix | Some error messages from newer HP printers were wrongly displayed as 'disk full'.          |

#### Changes in 2.2.1

|       |     |  |
|-------|-----|--|
| 25241 | Fix | Opening PDF files sometimes gave error |
|-------|-----|--|

#### Changes in 2.2

|                |     |   |
|----------------|-----|---|
| 24898          | New | Support for Canon iPF 760 and 765   |
| 25080<br>25081 | New | New color spaces: Adobe RGB, Device RGB and Raw RGB (48 bit)                      |
| 25233          | New | Improved colors when printing to all newer HP printers supporting Device RGB mode |
| 25319          | New | Improved colors when printing using CLC   |
| 25267          | Fix | ICC was not embedded in PDF files   |

#### Changes in 2.1

|                |     |  |
|----------------|-----|--|
| 24329          | New | File extension in "file exist dialog" removed in edit box to ease renaming of file                                       |
| 22512<br>23524 | Fix | Problems starting application if Windows had no printers installed   |
| 24748          | Fix | Crash if selected printer had been removed in Windows  |
| 23753          | Fix | Some application dialogs were shown in front when switching to other applications  |
| 24455          | Fix | Preset star (* shown when a preset is modified) was shown after using One Touch buttons on the scanner                   |
| 24476          | Fix | Yellow sticker in the corner of the image area (shown when doing batch and multi-page scanning) was sometimes shown when |

|                |     |   |
|----------------|-----|---|
|                |     | doing single-page scanning  |
| 24612          | Fix | Problem restoring application window size when leaving full screen mode using Alt+Enter                 |
| 24677          | Fix | Image artifact with older CCD scanners when scanning above physical resolution                          |
| 24697<br>24784 | Fix | When using counter field in file names, a single digit field (<0>) did not support more than 10 files.  |
| 24826<br>24874 | Fix | Application crashed when only using counter field in file names   |
| 24715          | Fix | A fast cancel of a copy could give an error (1-261)   |
| 24908          | Fix | When creating or editing a Printer Preset in Printer Setup, a number of parameters could not be changed |
| 24911          | Fix | Rotating very large B&W images (1 bit) gave error   |
|                | Fix | Several corrections to translations   |

#### Changes in 2.1 Beta

|                                  |     |  |
|----------------------------------|-----|--|
| 24233<br>22010                   | New | File name counter field now supports removal of files during a batch session   |
| 24049                            | New | PDF file format version is now 1.7. PDF/A remains at version 1.4 (as required by PDF/A standard)   |
| 22015                            | New | Opening PDF files no longer requires Ghostscript PDF library to be installed for a selected range of PDF formats   |
| 22015                            | New | General multipage performance improved   |
| 24013                            | New | Reversing of thick originals in scanner supported (requires firmware update to CCD-scanner models released fall 2011)  |
| 23836<br>24093                   | New | Some scanner related settings under the Scan-Option panel was stored in the scanner. All such settings now stored locally in the application to better support multiple users on a network scanner |
| 23529                            | Fix | Missing One-Touch presets for B&W scanners   |
| 23631<br>21344                   | Fix | Missing updates to histogram in File Task  |
| 23666                            | Fix | Error scanning 1200dpi to PDF  |
| 23758<br>24226<br>24258<br>24289 | Fix | In the Printer setup dialog, it was not possible to create custom presets, and some presets were listed twice  |
| 23762                            | Fix | HP Print Queue; 'Submit time' displayed incorrectly  |
| 23802                            | Fix | Missing predefined printer settings for: HP DJ T610ps,620ps,770ps and imagio MP W3600, imagio MP W2400   |
| 23877                            | Fix | In ICC Color Management, 'rendering intent' was blank by default (corrected to 'Perceptual')   |
| 23879<br>24202                   | Fix | Selected Color Management was not saved when exiting the application   |
| 21679<br>23950                   | Fix | Improved PDF support for opening indexed color images, resulting in better colors  |
| 24039                            | Fix | Print to a hot folder was not listed as an option  |
| 24098                            | Fix | Opening a multipage file reset printer selection to Windows default printer  |
| 24102                            | Fix | Some One-Touch presets were not shown if multiple scanners were connected  |
| 24118                            | Fix | Despeckle option performed hole filling  |
| 24236                            | Fix | When opening B&W files, a black line/band could be visible on the right side for certain image sizes   |
| 21484<br>23863                   | Fix | Improved auto palette for indexed color scans, improving quality as well as file sizes   |
| 24097                            | Fix | Application required printer to be configured as Windows Default printer in the MFP edition  |
| 23629<br>23646                   | Fix | Improved handling of network scanners in use by other clients  |
| 23632<br>23667                   | Fix | Several corrections to Output File panel in the Scan and File Task in relation to working with multipage files   |
| 23633                            | Fix | Rotation and cropping of pages was not illustrated in the multipage page selection dialog  |
| 23719                            | Fix | Improved handling during installation of missing Windows and .NET components   |
| 24259                            | Fix | Canon printer job name showed 'test1'. Now shows application name and file name  |
| 23757                            | Fix | Saving multipage files in the File Task multiple times did not always update the file  |
| 23763                            | Fix | The 'Auto size to' list is now limited to the enabled paper series   |
| 23906                            | Fix | Selected network printer was not remembered after restart, when running in other languages than English  |
| 23940                            | Fix | Application froze if refreshing scanner list after turning off scanner   |
| 23931                            | Fix | Application could freeze when opening unsupported variants of TIFF files   |
| 24047                            | Fix | Using 'reset all settings' option incorrectly displayed color 'Image Adjustment'-sub-panels while viewing a B&W image  |
| 24073                            | Fix | Printer's media selection when using CLC was reset to topmost media in list after printing   |
| 24205                            | Fix | Improved support for B&W TIFF files with BitsPerSampleTag specified  |
|                                  |     | Several corrections to error messages  |
|                                  |     | Several corrections to translations  |
|                                  |     | Several corrections to user interface graphics   |

#### Changes in 2.0.3

|       |     |   |
|-------|-----|---|
| 24331 | Fix | Designjet T620; crash during startup caused by improved queue management on sibling models. |
| 24332 | Fix | Canon printers; media selection was not correctly sent to the printer.                      |
| 24333 | Fix | TIFF group 3 and packbit options generated bad files.                                       |
| 24390 | Fix | Unable to open certain types of TIFF B&W (1 bit) files.                                     |

**Changes in 2.0.2**

|       |     |  |
|-------|-----|--|
| 24218 | New | Localized help in Chinese (Simplified), French, German, Japanese, Polish, Russian, Spanish |
|-------|-----|--|

**Changes in 2.0.1**

|       |     |  |
|-------|-----|--|
| 23803 | Fix | 30-day trial runs with REPRO edition feature set                           |
| 23835 | Fix | Indexed color PDF files can be opened                                      |
| 23744 | Fix | In the action bar, the Batch button is visible for all supported languages |
| 23742 | Fix | In the action bar, the icon labels are visible for all supported languages |

**Changes in 2.0**

|       |     |  |
|-------|-----|--|
| 23063 | New | MFP, SCAN+ARCHIVE and REPRO editions. Old editions are discontinued.                                   |
| 23055 | New | Multipage TIFF and PDF support   |
| 22249 | New | New Accounting feature   |
| 22769 | New | Programmable One-Touch buttons   |
|       | New | Support for new scanner models   |
|       | New | Support for switching between scanners   |
| 23502 | New | User interface for file format properties  |
|       | New | 'Option' section inside the 'Scan' panel   |
| 22642 | New | Improved data compression when using TIFF LZW  |
| 21861 | New | Support for user defined medias on relevant HP printers  |
| 22939 | New | New 'Auto size to' function for scanners with paper size sensors                                       |
| 22706 | New | New 'Optimize for quality/speed' toggle for scanners with AccuColor                                    |
| 22190 | New | PDF/A toggle   |
| 23327 | New | 'First Time Setup' dialog; 'Paper series' setting also controls 'Units of measure' and 'Auto size to'. |
| 22831 | New | Improved support for connecting to network printers  |
| 22161 | New | Improved handling when writing very large files  |

**Changes from 1.6.9 to 1.7.0**

|       |     |  |
|-------|-----|--|
| 22640 | New | Support for HP DesignJet 111   |
| 22729 | New | Support for HP DesignJet T1300 and T790  |
| 21418 | New | Embedding of ICC profiles in files is now only done when set explicitly by the user. |

|       |     |   |
|-------|-----|---|
|       |     |   |
| 20204 | Fix | TIFF indexed color; white came out slightly gray. White was coded as 65280 instead of 65535 |
| 22163 | Fix | Sometimes you don't get bidirectional contact to HP printers.                               |
| 21879 | Fix | Submitted time in print queue shows garbled characters.                                     |
| 22225 | Fix | Nextimage could crash during startup if settings file was defect                            |

#### Changes from 1.6.8 to 1.6.9

|       |     |                                       |
|-------|-----|---------------------------------------|
| 22673 | Fix | Installation problems on some systems |
|-------|-----|---------------------------------------|

#### Changes from 1.6.7 to 1.6.8

|       |     |  |
|-------|-----|--|
| 22454 | New | Support for Canon iPF6300S and iPF8300S  |
| 22292 | Fix | Flatbed scanners: Application crash if scanning full size originals using auto size. |
| 22270 | Fix | CIS scanners: Potential crash when scanning using auto size.                         |
| 22231 | Fix | Unable to use Japanese characters in PDF file names.                                 |
| 22201 | Fix | Rotation not applied when using TWAIN  |
| 22261 | Fix | Printer Info was not shown for HP DesignJet 4000/4020/4500/4520                      |
| 22427 | Fix | Epson Stylus Pro 7700/9700 scaling and media size problems on certain medias.        |
| 22358 | Fix | Flatbed scanners: Horizontal cropping does not work                                  |
| 22316 | Fix | Unable to save input size / crop size  |

#### Changes from 1.6.6 to 1.6.7

|       |     |   |
|-------|-----|---|
| 22125 | New | Help added in German, Spanish, French and Polish. |
| 22159 | Fix | Unable to print to HP printers connected via USB. |

#### Changes from 1.6.5 to 1.6.6

|       |     |  |
|-------|-----|--|
| 21875 | New | Support for HP DesignJet T2300(ps), T7100(ps), T770(ps) 24", Z2110, Z5200(ps), Z6200(ps) |
| 21090 | New | Support for HP DJ T1200ps  |
| 21878 | New | Support for "Custom Papers" on HP printers having this feature.                          |
| 21321 | New | Generated PDF files now comply with the PDF archival definition (PDF/A).                 |
| 22053 | New | Scaling extended to 1 to 10.000%.<br>Number of copies extended to 9999.                  |
| 21896 | New | Mutoh RJ-90x printing speed improved for fast and normal quality.                        |
| 21836 | New | Support for Canon iPF6300, iPF6350, iPF8300, iPF8310                                     |
|       |     |  |

|       |     |   |
|-------|-----|---|
| 21881 | New | Support for Canon iPF815, iPF825  |
| 21689 | Fix | The "Document Name" in windows printer spooler for HP DJ T1200 showed invalid document name.  |
| 21925 | Fix | Mutoh RJ-90x application driver did not support printing indexed color images.  |
| 21880 | Fix | Print Queue in Printer Information did not show any jobs  |
| 21948 | Fix | Size detect error on Flex50i fixed  |
| 21931 | Fix | CCD scanners: Auto paper size detection improvements introduced in v1.6.5 further refined.  |
| 21992 | Fix | CIS scanners: Auto paper size detection improvements introduced in v1.6.5 further refined.  |
| 20085 | Fix | Unable to copy to HP DJ Z2100 and Z3100 with auto length  |
| 19516 | Fix | "Cancel All Documents" in Print Queue had no effect.  |
| 21981 | Fix | CCD scanners: TWAIN timeout problem on flatbed models when terminating scans made through/via TWAIN.  |
| 22046 | Fix | Using ICC on T7100 results in dark copies   |
| 22049 | Fix | Scan using (auto)align/rotate result in aliasing artifacts  |
| 22087 | Fix | Printer Info panel; improved update speed when printer is turned off  |
| 22089 | Fix | Media name selection (under Color Management panel) not available when using 1 bit Image types (i.e. Adaptive Threshold and Fixed Threshold). |

#### Changes from 1.6.4 to 1.6.5

|       |     |  |
|-------|-----|--|
| 21629 | New | Support for Epson Stylus Pro 7700/9700   |
| 21409 | Fix | CIS scanners: Improved auto paper size detection.                                    |
| 21704 | Fix | CCD scanners: Improved auto paper size detection.                                    |
| 21760 | Fix | User interface missing features for Korean language                                  |
| 21327 | Fix | Added single sheet feed option on Canon iPF75x                                       |
| 19843 | Fix | CIS scanners: Improved descreening option.   |
| 21813 | Fix | In Options settings; Auto scan length was not updated when changing unit of measure. |
| 21370 | Fix | In Copy task; maximum number of copies increased from 9 to 999.                      |

#### Changes from 1.6.3 to 1.6.4

|       |     |   |
|-------|-----|---|
| 21091 | New | Chinese help added.   |
| 20995 | Fix | Printing on HP DesignJet T770 and T1200 did not start before the scan was finished. |
| 20989 | Fix | Some error messages during start of scanning did not show correct text.             |

#### Changes from 1.6.2 to 1.6.3

|       |     |  |
|-------|-----|--|
| 20553 | New | Added Polish program translation   |
| 20697 | New | Support for HP DesignJet Z3100ps/Z3200/Z3200ps   |
| 20796 | New | Support for HP DesignJet T610ps/Z2110/T620ps/T770ps  |
| 20794 | New | Support for imagio MP W3600 and imagio MP W2400  |
| 20694 | New | Support for HP DesignJet 110   |
| 20582 | Fix | When copying to HP DesignJet Z6100 error "Disk is Full" occurred   |
| 20174 | Fix | When an installed printer is in error Nextimage reports 61-22 "Could not create instance of CtxPrinter". |
| 20802 | Fix | Some error messages during scanning did not show correct text  |

#### Changes from 1.6.2 to 1.6.2

|       |     |  |
|-------|-----|--|
|       | New | Added Polish program translation                                   |
| 20509 | New | Error logging now complies with official company support standards |

#### Changes from 1.6.1 to 1.6.2

|       |     |  |
|-------|-----|--|
| 20503 | Fix | With Batch mode enabled, changing the "Image type" setting did not always take effect.   |
| 20443 | Fix | Crash during file open of very large b/w files   |
| 19996 | Fix | Image distortion occurring when the scanner pauses during the scan – scanning 600dpi or higher using Adaptive Threshold or Indexed Color mode on CCD scanners. |

#### Changes from 1.6 to 1.6.1

|       |     |   |
|-------|-----|---|
|       | New | Windows 7 (Professional) support. For both 32 and 64 bit platforms.                       |
|       | New | Translations into supported languages   |
| 20244 | New | Support for Canon iPF 6200  |
| 20169 | New | Support for HP T620   |
| 20133 | New | Now supporting left offset adjustment for CIS scanner models also                         |
| 19987 | New | The email one-touch event (scanner one-touch button) now starts a scan to email operation |
| 19983 | New | Support for HP T1200  |
| 19982 | New | Support for HP T770   |
| 19800 | New | Support for HP DJ510 and DJ510 PS   |
| 19744 | New | Licenses for 24" scanner models versions introduced                                       |
| 19711 | New | Memory resident version of TWAIN driver specifically designed for low end target PC's     |

|       |     |   |
|-------|-----|---|
| 18770 | New | Allow batch scanning in TWAIN driver  |
| 20283 | Fix | Copying with auto length did not work correctly on some printer model (eg HP z6100)   |
| 20062 | Fix | Some controls in the panels could experience bad layout on 64 bit Windows   |
| 19994 | Fix | When viewing a 1 bit image in the File task some strange 'ghosting' could occur after zooming and panning a bit                       |
| 19592 | Fix | Fixed application error when printing grayscale on Ricoh Aficio MP W2400  |
| 19580 | Fix | Detail scans were lost when resetting some individual settings  |
| 19574 | Fix | Fixed application error when detail number 2 were delete in Adaptive Threshold mode   |
| 19573 | Fix | Purple line were created when printing color patch sheet on Canon iPF 755 and 820   |
| 19561 | Fix | Change of settings did not always get applied to details immediately when set   |
| 19555 | Fix | Long Save-as path were truncated in the bottom status line when in Full screen  |
| 19515 | Fix | When deleting a numeric value in a control using the backspace key, the value is now set to the default instead of an arbitrary value |
| 16558 | Fix | Some drop-down menus were shown on secondary monitor when two monitors were connected   |
| 16121 | Fix | When using Large Size DPI settings in Windows the UI had visual artefacts   |

#### Changes from 1.5.2 to 1.6

|       |     |  |
|-------|-----|--|
|       | New | Touch screen enabled user interface  |
| 19461 | New | Support for HP 4520mfp and 1120mfp   |
| 19288 | New | Support for Canon iPF605, iPF650, iPF655, iPF750 and iPF755 added (qualified with Plain Paper and Coated Paper only) |
| 19003 | New | Preset name now remembered between starts  |
| 18931 | New | Added support for Canon iPF6000S   |
| 18723 | New | Now supports PDF v1.4  |
| 18253 | New | Limit media source selection based on individual model capabilities for Canon printers                               |
| 18143 | New | Added support for HP T1120, 4020 and 4520  |
| 17905 | New | Added printer profile for T610   |
| 17847 | New | Now allowing higher preview scan dpi   |
| 17834 | New | Added support for Canon iPF720, 810 and 820  |
| 17195 | New | Added default ICC choice   |
| 17170 | New | Now the measure tool also reports distance in pixels   |
|       |     |  |



|       |        |   |
|-------|--------|---|
| 16826 | New    | Selected preset is not remembered between startups  |
| 16692 | New    | Drag and drop support   |
| 16345 | New    | Added new file naming fields <USER> and <DOMAIN>  |
| 15753 | New    | Allow double-click to insert field  |
| 15646 | New    | New right-click menu entry in detail pop-up menus for selecting current detail                |
| 14746 | New    | The measure tool now also shows length in pixels and absolute and relative angle              |
| 14739 | New    | Now possible to align using the measure tool  |
| 14064 | New    | Application now starts up in the last active Task   |
| 13652 | New    | Support for PNG added   |
| 11670 | New    | Customer experience program introduced  |
| 18717 | Change | Rotate/Mirror panel changed   |
| 18707 | Change | Reduced memory footprint significantly  |
| 18517 | Change | Enhance gray algorithm made more aggressive to make better gray results always                |
| 18513 | Change | Solved issue with some external viewers not being able to view our lzw compressed files       |
| 18512 | Change | No longer allows unsupported media choices on HP DJ 1120                                      |
| 15200 | Change | Now scan frames are reset to only one when new prescan is made or if a new original is loaded |
| 14730 | Change | Now only scanner related ICC profiles are shown in the input list.                            |
| 19350 | Fix    | Fixed exception when opening files that are very wide and short                               |
| 18989 | Fix    | Printer driver setting no longer stored if cancel is pressed                                  |
| 18808 | Fix    | Sometimes extra white was printed on an Canon iPF820  |
| 18754 | Fix    | Autolength from empty scan in TWAIN mode does not work  |
| 18610 | Fix    | A exception could occur during file save due to an uninitialized variable                     |
| 18559 | Fix    | A blank filename in a preset was not applied correctly when preset was choosen                |
| 18558 | Fix    | Changing presets did not always set the file type correctly if image types were different     |
| 18522 | Fix    | Resize now works correct under SCAN task  |
| 18515 | Fix    | Issue with cyan lines in prints solved  |
| 18511 | Fix    | Fixed problem scanning to DWF   |
| 18499 | Fix    | Error during write of Jpeg files with more than 4GB data fixed                                |

|       |     |  |
|-------|-----|--|
|       |     |  |
| 18440 | Fix | Improved print quality of thin lines   |
| 18196 | Fix | A JPEG only preset applied in BW image type caused an error                            |
| 18168 | Fix | Better cancel of print/copy jobs already started.                                      |
| 17905 | Fix | Choosing "Fast" mode caused the image to be printed at double scale on HP T610 printer |
| 17113 | Fix | Better error handling when specific rare camera related scanner error occurs           |
| 16561 | Fix | One-touch scanning now support more than one scanner installed                         |
| 15913 | Fix | Exception failure was generated when JPX file had corrupt header                       |
| 15787 | Fix | Consistent range behaviour for integer combo's with edit                               |
| 15410 | Fix | Numeric file format parameters are now validated                                       |

#### Changes from 1.5.1 to 1.5.2

|       |     |   |
|-------|-----|---|
| 18581 | Fix | Resizing more that 100% caused a cropped output image |
|-------|-----|---|

#### Changes from 1.5 to 1.5.1

|       |     |  |
|-------|-----|--|
| 18834 | New | Support for Canon iPF720, 810 and 820  |
| 18064 | New | Introduced new option for Enhancement of horizontal accuracy for CIS scanner models          |
| 17902 | New | Support for HP T610  |
| 17714 | New | Russian translation introduced   |
| 17321 | New | Japanese help included   |
| 18506 | Fix | TWAIN data source did not work if old version common library was installed in WINDOWS folder |
| 18257 | Fix | Minor correction in the English help   |
| 18185 | Fix | TWAIN data source did not respond properly to close command                                  |
| 18138 | Fix | Fixed problem when selecting HP DesignJet 4000, 4000ps, 4500, 4500mfp, 4500ps printer models |
| 18077 | Fix | Vertical correction factor was not applied correctly.  |
| 18069 | Fix | Sometimes CALS files where invalid   |
| 18032 | Fix | Corrected wrong defaults in BW adaptive on some models.                                      |
| 17904 | Fix | Choosing Fast mode on T610 printer caused double size print output                           |

#### Changes from 1.0.2 to 1.5

|       |     |  |
|-------|-----|--|
| 17417 | New | Shortcut Ctrl+Insert used for Frame+ tool. |
|       |     |  |

|       |        |  |
|-------|--------|--|
| 17333 | New    | Now the resolution type is shown in the panel title bar if it differs from normal.   |
| 17332 | New    | Optimized performance in the BW line preset.   |
| 17194 | New    | Now show the same dialog that is shown when pressing the Save As -> Browse button if the file name is invalid when Scan is pressed |
| 17180 | New    | Added support for Canon iPF 8000S, 8100, 9000S and 9100 printers.  |
| 16980 | New    | Now it is possible to scan more scans in a single TWAIN acquisition session.   |
| 16828 | New    | High quality scaling of image in viewer. This gives a smoother and more correct representation of the image when zoomed out.       |
| 16800 | New    | Support for writing DWF files  |
| 16786 | New    | Revised layout of index color palette panel. See also change 13483 below.  |
| 16780 | New    | Scan to email support added  |
| 16691 | New    | Color CAD and map preset threshold value is now set to 5   |
| 16343 | New    | Folder TextBox, allowing folder setup, added to dialog shown when 'if file exists ' option is set to 'Ask'.                        |
| 16262 | New    | When scanning auto length you can now see the width on the sub panel title bar   |
| 16577 | New    | Added TWAIN driver capability  |
| 16518 | New    | Now able to edit filename when using Browse under File Already Exists dialog   |
| 16416 | New    | File name field are no longer case sensitive   |
| 16383 | New    | New image viewing during final scanning/copying that allows for better inspecting of image details.                                |
| 16264 | New    | New Check Scan feature for easy opening the last scanned file.   |
| 15915 | New    | Now the preview and all detail scans are cleared when another scanner is selected  |
| 13483 | New    | Automatic creation of indexed color palettes and possibility of changing the palette colors.                                       |
| 17429 | Change | Some image adjustment settings in predefined presets changed.  |
| 17363 | Change | No longer including setting not relevant to the image quality as part of the predefined presets                                    |
| 17405 | Fix    | The white point slider curser key increment step set to 1.   |
| 17388 | Fix    | Fixed behaviour when user is asked to re-insert media.   |
| 17366 | Fix    | Gray balance button is no longer disabled after opening a 24 bit color file.   |
| 17350 | Fix    | For BW fixed threshold the Detail scans did not represent the effect of negative original correct.                                 |
| 17210 | Fix    | Solved problem with bad match between preview scan and final scan in BW threshold on some scanner models.                          |
| 17095 | Fix    | Fixed application error when browsing and saving to CALS   |
|       |        |  |

|       |     |  |
|-------|-----|--|
| 17047 | Fix | Clicking panel header text field now causes panel expand/collapse + Dropdown expand/collapse.        |
| 16957 | Fix | Auto enhance B/W was not always consistently calculated  |
| 16937 | Fix | In some situations an old auto size could be used for a new original                                 |
| 16927 | Fix | Saturation did not have the same effect in the scanned file (or print) as in the did in the preview  |
| 16896 | Fix | Fixed Bad error/warning message when some scanners were on standby.                                  |
| 16820 | Fix | Insert field button state now set properly after pressing panel title                                |
| 16765 | Fix | The enhanced resolution type for BWA was not remembered between start-ups                            |
| 16717 | Fix | Sometimes an error message occurred when using the black/white point picker                          |
| 16716 | Fix | The final scan was much too short when using both auto size and auto enhance BW                      |
| 16691 | Fix | Corrected the default value for Sharpen threshold in a preset  |
| 16679 | Fix | The level of detail in BWA image type was not the same in the detail scans as in the final scan      |
| 16657 | Fix | The application could crash if an attempt to close it during start-up was made                       |
| 16615 | Fix | Now show correct title of installed version in about box   |
| 16613 | Fix | The scan process could become very slow for very narrow scans  |
| 16604 | Fix | Gray Balance picking was slow in some cases  |
| 16603 | Fix | An error could occur if placing the paper frame just outside the image data border                   |
| 16580 | Fix | The file extension could get lost in the browse dialog   |
| 16576 | Fix | Spurious "rainbow"-effects in the preview eliminated   |
| 16573 | Fix | Black/white point picker got the wrong value when rotation is set                                    |
| 16571 | Fix | Could now run CLC wizard on second scanner connected   |
| 16559 | Fix | Viewer could get corrupted behaviour after cancelling a print in File task                           |
| 16554 | Fix | Now the patch sheet is ejected properly after making CLC   |
| 16534 | Fix | Error message was shown if a BW only scanner was connected at the same time as a Color scanner       |
| 16524 | Fix | Filename was empty during Browse under File Already Exists   |
| 16519 | Fix | There was no file filter in Browse under File Already Exists   |
| 16518 | Fix | Now using save as dialog, instead of open file dialog, when "if file exists is set" and file exists. |
| 16505 | Fix | Clearer detail thumbs.   |
| 16473 | Fix | It was not possible to select a media with color management set to none                              |

|       |     |   |
|-------|-----|---|
|       |     |   |
| 16433 | Fix | Auto size handling on flatbed scanners models as not correct in situations with fixed output size |
| 16417 | Fix | Zoom area changes strangely when changing image type  |
| 16416 | Fix | File name fields are no longer case sensitive   |
| 16415 | Fix | Some zoom tools got disabled temporarily after a print  |
| 16279 | Fix | Old details scans was not always cleared when changing resolution                                 |
| 16260 | Fix | No longer automatically zooms to all when changing image types                                    |
| 16221 | Fix | Improved TAB behaviour in panels  |
| 16218 | Fix | Sometimes the File type changed when using Browse dialog  |
| 16180 | Fix | CLC wizard failed on non-color scanner  |
| 16144 | Fix | RLE compression is not allowed for top down direction for BMP format                              |
| 16125 | Fix | Do not allow user to select non-output icc profile during Output ICC Wizard                       |
| 16085 | Fix | Sometimes Indexed Color Palette must be selected twice to be active                               |
| 16068 | Fix | Cancelling save in file task could make the viewer corrupt  |
| 16061 | Fix | Sometimes the file dimensions was off by 1 pixel in input file panel                              |
| 15992 | Fix | The histogram stopped updating after a cancelled scan   |

#### Changes from 1.0.1 to 1.0.2

|       |     |  |
|-------|-----|--|
| 17017 | Fix | Auto-size could become unstable if application have been run in demo mode. |
| 17016 | Fix | Auto-size made were not robust for some scanner models.                    |

#### Changes from 1.0 to 1.0.1

|       |     |   |
|-------|-----|---|
| 16741 | Fix | Spurious crash could occur if a HP printer was selected but not online. |
|-------|-----|---|

### Supported Printers

The application supports the below range of printers. If you do not find the relevant printer in the list, many other printers are indirectly supported by creating your own Printer Profile, or by printing to a hot-folder.

- Canon BJ-W3000
- Canon BJ-W3050
- Canon BJ-W7000
- Canon iPF500
- Canon iPF5000
- Canon iPF510
- Canon iPF5100
- Canon iPF600
- Canon iPF605
- Canon iPF610
- Canon iPF650 (qualified with Plain Paper and Coated Paper only)

- Canon iPF655 (qualified with Plain Paper and Coated Paper only)
- Canon iPF600S
- Canon iPF6100
- Canon iPF6200
- Canon iPF700
- Canon iPF710
- Canon iPF720
- Canon iPF750 (qualified with Plain Paper and Coated Paper only)
- Canon iPF755 (qualified with Plain Paper and Coated Paper only)
- Canon iPF760
- Canon iPF765
- Canon iPF810 (qualified with Plain Paper and Coated Paper only)
- Canon iPF815 (qualified with Plain Paper and Coated Paper only)
- Canon iPF820 (qualified with Plain Paper and Coated Paper only)
- Canon iPF825 (qualified with Plain Paper and Coated Paper only)
- Canon iPF6300
- Canon iPF6350
- Canon iPF6300S
- Canon iPF8000
- Canon iPF8000S
- Canon iPF8100
- Canon iPF8300
- Canon iPF8300S
- Canon iPF8310
- Canon iPF8310S
- Canon iPF9000
- Canon iPF9000S
- Canon iPF9100
- Canon W6200PG
- Canon W6400D
- Canon W6400PG
- Canon W7200
- Canon W8200
- Canon W8200PG
- Canon W8400
- Canon W8400D
- Canon W8400PG
- ENCAD NovaJet 500
- ENCAD NovaJet 630
- ENCAD NovaJet 700
- ENCAD NovaJet 750
- ENCAD NovaJet 850
- ENCAD NovaJet 1000i
- ENCAD NovaJet PRO 600e
- ENCAD NovaJet PRO
- ENCAD NovaJet PROe
- EPSON SC-T3000
- EPSON SC-T5000
- EPSON SC-T7000
- EPSON STYLUS PRO 4400
- EPSON STYLUS PRO 4800
- EPSON STYLUS PRO 7000
- EPSON STYLUS PRO 7400
- EPSON STYLUS PRO 7600
- EPSON STYLUS PRO 7700
- EPSON STYLUS PRO 7800
- EPSON STYLUS PRO 9000
- EPSON STYLUS PRO 9400
- EPSON STYLUS PRO 9600
- EPSON STYLUS PRO 9700
- EPSON STYLUS PRO 9800
- EPSON STYLUS PRO 10000
- EPSON STYLUS PRO 10600
- Gestetner GWD2004
- Gestetner GWD2006
- Gestetner SP W2470

- HP DesignJet 70
- HP DesignJet 90
- HP DesignJet 110
- HP DesignJet 111
- HP DesignJet 120
- HP DesignJet 130
- HP DesignJet 500 (HP-GL/2)
- HP DesignJet 500PS (HP-GL/2)
- HP DesignJet 510 (HP-GL/2)
- HP DesignJet 510PS (HP-GL/2)
- HP DesignJet 750C
- HP DesignJet 800
- HP DesignJet 800PS
- HP DesignJet 1050C
- HP DesignJet 1055CM
- HP DesignJet 2000CP
- HP DesignJet 2500CP
- HP DesignJet 3000CP
- HP DesignJet 3500CP
- HP DesignJet 4000
- HP DesignJet 4000ps
- HP DesignJet 4020
- HP DesignJet 4020ps
- HP DesignJet 4500
- HP DesignJet 4500mfp
- HP DesignJet 4500ps
- HP DesignJet 4520
- HP DesignJet 4520mfp
- HP DesignJet 4520ps
- HP DesignJet 5000
- HP DesignJet 5000PS
- HP DesignJet 5500
- HP DesignJet 5500PS
- HP DesignJet T610
- HP DesignJet T610ps
- HP DesignJet T620
- HP DesignJet T620ps
- HP DesignJet T770
- HP DesignJet T770ps
- HP DesignJet T770 24
- HP DesignJet T770ps 24
- HP DesignJet T790
- HP DesignJet T790ps
- HP DesignJet T1100
- HP DesignJet T1100ps
- HP DesignJet T1120
- HP DesignJet T1120mfp
- HP DesignJet T1120ps
- HP DesignJet T1200
- HP DesignJet T1200ps
- HP DesignJet T1300
- HP DesignJet T1300ps
- HP DesignJet T2300
- HP DesignJet T2300ps
- HP DesignJet Z2100
- HP DesignJet Z2110
- HP DesignJet Z3100
- HP DesignJet Z3100ps
- HP DesignJet Z3200
- HP DesignJet Z3200ps
- HP DesignJet Z5200
- HP DesignJet Z5200ps
- HP DesignJet Z6100
- HP DesignJet Z6100ps
- HP DesignJet Z6200
- HP DesignJet Z6200ps

- HP DesignJet T7100
- HP DesignJet T7100ps
- imagio MP W3600
- imagio MP W2400
- Lanier LP124w
- Lanier LW324
- Lanier LW326
- MUTOH RJ-900C
- MUTOH RJ-901C
- MUTOH RJ-4000
- MUTOH RJ-4100
- MUTOH RJ-8000
- NRG MP W2400
- NRG MP W3600
- NRG SP W2470
- Oce 535X-42
- Oce 535X-60
- Oce 535X-600-42
- Oce 535X-600-60
- Oce ColorWave 300
- Oce ColorWave 550
- Oce ColorWave 600
- Oce ColorWave 650
- Oce CS5050
- Oce CS5070
- Oce PlotWave 300
- Oce PlotWave 350
- Oce PlotWave 900
- Oce TCS300
- Oce TCS400
- Oce TCS500
- Oce TDS300
- Oce TDS320
- Oce TDS400
- Oce TDS450
- Oce TDS600
- Oce TDS700
- Oce TDS750
- Oce TDS800
- Oce TDS860
- RICOH Aficio MP W2400
- RICOH Aficio MP W3600
- RICOH Aficio SP W2470
- Roland Hi-Fi JET FJ-40
- Roland Hi-Fi JET FJ-50
- Roland Hi-Fi JET FJ-540
- Roland Hi-Fi JET FJ-740
- Savin 2404WD
- Savin 2404WDP
- Savin 2406WD
- Seiko LP-1010
- SELEX SG-950T
- XEROX 6204
- XEROX 8825
- XEROX 8830