


MySQL database aanmaken en benaderen

U kunt via het controlepaneel een MySQL database benaderen en/of aanmaken.

- Log in op het Controlepaneel
- Klik op : More Services | Databases.



Subscriber [redacted] Account ID: [redacted]
Subscription INL-Linux shared hosting (instap) v2 ([redacted]); Logout

Home Hosted Domains Users Mail Websites Applications **More Services** Help & Support

Odin Panel > More Services > Screen ID: 2.21.10.01

More Services


This is where you can manage special features of your current subscription.

- Backups**
This section allows you to backup your mail, web and databases data and manage your backup files by deleting or restoring this backup data. Note that the Restore Backup procedure restores the user data.
- AWStats Web Statistics**
Manage AWStats log processing parameters.
- Databases**
This section allows you to manage your database (s) and its users.

Hieronder staan 2 situaties beschreven voor een bestaande Database en een nieuwe Database

1. Bestaande Database

Indien er al een Database is aangemaakt, ziet u hier de Database name, Bij o.a. de installatie van WordPress, wordt er automatisch een MySQL database aangemaakt.



Subscriber [redacted] Account ID: [redacted]
Subscription INL-Linux shared hosting (instap) v2 ([redacted]); Logout

Home Hosted Domains Users Mail Websites Applications **More Services** Help & Support

Odin Panel > More Services > Databases > Screen ID: 2.11.35.01

[Add New Database](#) | [Delete](#)

1-1 of 1 | [Show Search](#)

ID	Database name	Type	Status
xxxx	db_XXXXXX_db01	MySQL	Ready

1-1 of 1

Klik op de Database name.

InterNLnet a Tele2 company

Subscriber: [redacted] (Account ID: [redacted])
 Subscription: INL-Linux shared hosting (Instap) v2 ([redacted]); Logout

Home Hosted Domains Users Mail Websites Applications More Services Help & Support

Odin Panel > More Services > Databases > db_XXXXXXX_db01

Screen ID: 2.11.35.100

Database info

Browse database manager <https://cp.pa.internl.net/phpmyadmin/>

ID: uw id

Database name: db_XXXXXXX_db01

Database type: MySQL

Status: ✔ Ready

Internal hostname: ip [redacted]

Host port: 3306

Edit Delete

Vervolgens ziet u het Database infoscherm. Hier kunt u klikken op de link bij Browse database manager. Hiermee komt u in phpMyadmin en kunt u aan de slag met uw database. Alleen op deze manier kunt u met phpMyadmin de Database benaderen.

2. Nieuwe DataBase

Indien u nog geen Database heeft aangemaakt, kunt u zo een database aanmaken
 Klik op Add New Database

InterNLnet a Tele2 company

Subscriber: [redacted] (Account ID: [redacted])
 Subscription: INL-Linux shared hosting (Instap) v2 ([redacted]); Logout

Home Hosted Domains Users Mail Websites Applications More Services Help & Support

Odin Panel > More Services > Databases > Databases

Screen ID: 2.11.35.01

+ Add New Database X Delete

1-1 of 1 | [Show Search](#)

ID	Database name	Type	Status
XXXX	db_XXXXXXX_db01	MySQL	✔ Ready

1-1 of 1

In het volgende scherm kiest u voor Database type - MySQL, klik daarna op Next

InterNLnet a Tele2 company

Subscriber: [redacted] (Account ID: [redacted])
 Subscription: INL-Linux shared hosting (Standaard); Logout

Home Hosted Domains Users Mail Websites Applications More Services Help & Support

Odin Panel > More Services > Databases > Add New Database


Screen ID: 2.11.35.02

New Database Info

Database type: MySQL (MySQL databases)

Next >> Cancel

Vul in het volgende scherm de naam van de Database, uw gebruikersnaam en wachtwoord in.

**InterNLnet**
a Tele2 company

Subscriber [redacted] (Account ID: [redacted])
Subscription [INL-Linux shared hosting (Standaard): ...] [Logout](#)

[Home](#) [Hosted Domains](#) [Users](#) [Mail](#) [Websites](#) [Applications](#) **[More Services](#)** [Help & Support](#)

[Odin Panel](#) > [More Services](#) > [Databases](#) > Screen ID: 2.11.35.03 ? ↻

Add New Database

New Database Info

Database type: MySQL

Database name: db xxxx -

Database name can not be longer than 64 symbols, where first 10 symbols is an unique prefix and up to 54 symbols can be entered manually.

New Database's user Info

Database user name: u xxxx -

Database user name can not be longer than 16 symbols, where first 9 symbols is an unique prefix and up to 7 symbols can be entered manually.

Password * Very Weak [Generate](#) [Show](#)


7-characters minimum, including letters in different cases and digits

Confirm password *

*Required fields

<< Back Next >> Cancel

Vervolgens krijgt u een overzicht en kunt u op Finish klikken

**InterNLnet**
a Tele2 company

Subscriber [redacted] (Account ID: [redacted])
Subscription [INL-Linux shared hosting (Standaard): ...] [Logout](#)

[Home](#) [Hosted Domains](#) [Users](#) [Mail](#) [Websites](#) [Applications](#) **[More Services](#)** [Help & Support](#)

[Odin Panel](#) > [More Services](#) > [Databases](#) > Screen ID: 0.00.00.00 ↻

Add New Database

✔ You are ready to create new database. Check data below to ensure that it is correct.

New Database Info

Database type: MySQL

Database name: db xxxxx _example

Diskspace resource: Diskspace

New Database's user Info

Database user name: u'xxxxxx _example

Password: *****

<< Back Finish Cancel