VERIFIED VIALS

VV-COA-5AM-001
Document reference

3 November 2026
Date issued

Certificate of Analysis

5-Amino-1MQ · Research Grade Compound — Content Analysis

Issued by Verified Vials on the basis of testing carried out by an independent third-party laboratory, Janoshik.

01 PRODUCT

PRODUCT
5-Amino-1MQ · Research Grade Compound

INTENDED USE
Laboratory research use only

SUPPLIED BY
Verified Vials, Belfast, Northern Ireland

SAMPLE NAME ON LABORATORY RECORD
5 Amino MQ

BATCH ON LABORATORY RECORD
5AM5-230926-A

DECLARED CONTENT (PRODUCT LABEL)
5 mg per vial

BATCH NUMBERS & EXPIRY
5 mg 5AM5-230926-A · Expiry 23 September 2029

02 RESULT

CONTENT PER VIAL — AS REPORTED

4.41 mg

5-Amino-1-methylquinolinium content per vial · declared 5 mg per vial

✓ CONTENT VERIFIED

The laboratory identified and quantified 5-Amino-1-methylquinolinium in the sample; content is per vial as received.

The laboratory report states results only; analytical method details are not given on the report.

03 TEST DETAILS

LABORATORY
Janoshik (janoshik.com), independent of the supplier

LABORATORY TEST REPORT
#245672

TESTS REQUESTED
5-Amino-1-methylquinolinium analysis

TESTING ORDERED
21 October 2026

SAMPLE RECEIVED BY LABORATORY
26 October 2026

ANALYSIS CONDUCTED
29 October 2026

CLIENT ON LABORATORY RECORD
Verified Vials

VERIFICATION KEY
S7LN7VCJ7AC7

04 REPORTED RESULTS

PARAMETER	REPORTED	BASIS	STATUS
5-Amino-1-methylquinolinium content	4.41 mg	Per vial, as received	REPORTED
Declared content (product label)	5 mg per vial	For comparison — not a laboratory figure	—

Figures are exactly as stated on the laboratory test report for the batch named above; the laboratory report does not state the analytical method, measurement uncertainty or a specification, and no pass/fail judgement is made by the laboratory. Content is the quantity of the named compound found in the vial as received. Enquiries about methodology should be directed to the laboratory.

05 VERIFICATION & AUTHORISATION

janoshik.com/verify · key S7LN7VCJ7AC7

The analysis was carried out by Janoshik. Their test report #245672 is the source record for every figure on this page and can be checked by entering the key above at janoshik.com/verify or by scanning the code.

This document is issued by Verified Vials and summarises that laboratory record. It is not a Janoshik document.

AUTHORISED BY
Quality Control
Verified Vials
3 November 2026

SIGNATURE

For laboratory research use only. Not for human or veterinary use. This certificate relates to the sample as received by the laboratory and summarises the laboratory's reported findings for that sample. It is not a guarantee of other units or batches, is not a safety assessment, and is not medical advice. Where this summary and the laboratory record differ, the laboratory record prevails.