

No.	Study Details	One-year survival (95% CI)	Five-year survival (95% CI)	Author's Conclusion
1.	Hellen Mckinnon Edwards et al. 2016	CCI 0: 80 (78-82) CCI 1: 71 (65-76) CCI 2: 64 (58-70) CCI 2+: 53 (44-62)	CCI 0: 40 (38-42) CCI 1: 30 (25-36) CCI 2: 27 (22-32) CCI 2+: 23 (16-31)	Overall one -year and five-year relative survival decreases with increase in the co-morbidity score.
2.	Mette S. Tetshe et al. 2008	CCI 0: 73 (71-74) CCI 1-2: 58 (55-60) CCI 2+: 44 (39-49)	CCI 0: 37 (36-39) CCI 1-2: 24 (21-27) CCI 2+: 12 (8-16)	One and five year survival was higher in patients without co-morbidity than in patients with co-morbidity.
3.	M.S. Tetsche et al. 2008	CCI 0: 75 (71-79) CCI 1-2: 59 (50-67) CCI 2+: 50 (32-65)	CCI 0: 43 (38-47) CCI 1-2: 30 (22-38) CCI 2+: 18 (7-32)	Overall 1-year and 5-year survival decreases with increase in the co-morbidity score.
4.	Anne Fia Grann et al. 2013	CCI 0: 74 (68-80) CCI 1-2: 64 (53-74) CCI 2+: 43 (26-59)	CCI 0: 47(41-53) CCI 1-2: 26 (18-35) CCI 2+: 21 (9-37)	Co-morbidity was associated with poor survival.