

Gas Insulated Switchgear

**TGP145**

Technical Data

TGOOD  
2018-12-9

**TGOOD**





### Operating environmental conditions

Place of installation	Indoor or outdoor
Ambient temperature	-5°C ~ +55°C
Altitude	1000m (no limitation for specially ordered products)
Air humidity	Daily average $\geq 95\%$ Monthly average $\geq 90\%$ (25°C)
Wind speed	$\geq 35\text{m/s}$ (wind pressure $\leq 700\text{Pa}$ )
Irradiance	$\leq 0.1\text{W/cm}^2$ (wind speed: 0.5m/s)
Earthquake intensity	Horizontal acceleration $\leq 0.5\text{g}$ , Vertical acceleration $\leq 0.5\text{g}$
Ice thickness	$\leq 10\text{mm}$
Creepage distance	25mm/kV (pollution level III), 31mm/kV (pollution level IV)

This product shall be placed in a site without risk of fire hazard, explosion, chemical corrosion and sharp vibration.

### TGP145

Rated voltage	kV	145
Rated frequency	Hz	50/60
Rated current	A	2000/2500/3150
Rated short time withstand current / time	kA/s	40/3
Rated peak withstand current	kA	104
Insulation level	Rated short time power frequency withstand voltage (1 min.)	kV 275 (to earth / interphase) 315 (across isolating distance)
	Rated lightning impulse withstand voltage (peak value)	kV 650 (to earth / interphase) 750 (across isolating distance)
Rated SF <sub>6</sub> gas pressure / Min. functional pressure (20°C)	MPa	Circuit breaker gas tank 0.65/0.6; VT / surge arrester gas chamber 0.5 / 0.45; Other gas chambers 0.5 / 0.45
Water content of SF <sub>6</sub>	μL/L	Circuit breaker chamber $\leq 150$ (during handover); Other gas chamber $\leq 250$ (during handover)

Partial discharge	pC	≤10
SF6 annual leakage rate	%/y	≤0.1
Level of radio interference	μV	≤500
Enclosure and insulator strength	MPa	2.6
Compartment width	m	0.8

### Circuit-breaker

Rated short circuit breaking current	kV	40		
Rated short circuit making current	kV	104		
Rated circuit charging breaking current	A	50		
Rated cable charging breaking current	A	160		
Rated out-of-phase breaking current	kA	10		
Close-in fault breaking current	kA	36/30		
First-pole-to-clear factor		1.5		
Rated operation sequence		0-0.3s-CO-180s-CO		
Closing time (rated voltage)	ms	85±10		
Opening time (rated voltage)	ms	32±5		
Total breaking time	ms	≤60		
Min.SF6 functional pressure (20°C)	MPa	0.6		
Actuation mechanism		Spring-actuated mechanism		
Mechanical endurance		M2		
Electrical endurance		E2		
Shunt reactor switching		Duty 1/2/3/4		
Closing / opening coil	Voltage (DC)	V	220	110
	Closing coil resistance / current	Ω/A	94/2.3	33/3.3
	Opening coil resistance / current	Ω/A	78/2.8	19/5.8
Energy storage motor	Power	W	600	
	Voltage (DC/AC) / Current	V/A	220V/2.3A	

Dynamic load	N	20,000 (Vertically upwards) 20,000 (Vertically downwards)
--------------	---	--

### Three-position switch

Rated operation time	s	Opening $\times 3$ Closing $\times 3$
Rated control voltage / power	V/W	(DC/AC)220/240
Rated operation torque	N·m	20
Rated making / breaking bus transfer current / voltage	A/V	1600/30
Times of rated making / breaking bus current transfer	times	100

### Fast earthing switch

Rated operation time	s	Opening $\times 3$ Closing $\times 3$
Rated controlling voltage / power	V/W	(DC/AC)220/240
Rated operation torque	N·m	50
Rated short circuit making current	kA	104
Making / breaking electromagnetic induction current / voltage	A/kV	100/6
Making / breaking electrostatic induced current / voltage	A/kV	5/6
Bus charging switch	times/A	100/0.5

### Busbar

Rated current	A	2000/2500/4000
Rated short-time power frequency withstand voltage (interphase, to earth, 1min)	kV	275
Rated lightning impulse withstand current (interphase, to earth, peak value)	kV	650

---

Bushing		
Rated short-time power frequency withstand voltage (1min)	kV	275
Rated lightning impulse withstand voltage (peak value)	kV	650
Nominal creepage distance	mm	25/kV (Level III) 31/kV (Level IV)

---

## Contact us

### Global Head Office

TGOOD Global Ltd.  
Unit B,9/F,  
Shun Ho Tower,  
24-30 Ice House Street,  
Central, Hong Kong  
T +852 2393 8005  
F +852 2393 8808  
info@tgood.com

### Regional Offices

#### North America (Canada, USA)

TGOOD North America Inc.  
#3-1101 Main Street  
Penticton V2A 5E6 BC  
Canada  
T +1 778 476 5833  
northamerica@tgood.com

#### Africa

TGOOD Africa (Pty) Ltd.  
21 Roan Crescent, Unit 2, Sultana Park  
Corporate Park North, Midrand, 1683  
South Africa  
T +27 010 010 5706  
africa@tgood.com

#### Australia & Asia Pacific

TGOOD Australia Pty Ltd  
Unit 1, 4 Henry Street  
Loganholme QLD 4129 Australia  
T +61 437 536 727  
T 1300 061299 (within Australia)  
australia@tgood.com

#### Europe

TGOOD Germany GmbH  
Daimler street, 2, D-41836 Hueckelhoven  
T +49 2433 525662  
europe@tgood.com

#### Latin America

TGOOD Latin America SAS  
Calle 116 15b-26 of 407, Bogotá, Colombia  
T +5717444663  
latin.america@tgood.com

### Middle East and North Africa

TGOOD Middle East General Trading LLC  
Emirates Concorde – Office Tower, Suite #1205  
Al Maktoum Street,  
Rigat Al Buteen, Deira  
UAE Dubai  
P.O. BOX: 413884  
T +971 43454596  
F +971 43454504  
mena@tgood.com

### Central Asia

TGOOD Central Asia LLP  
7th floor, BC "Pioneer-2"  
Dostyk Avenue, No 134, Almaty, Kazakhstan  
P.O. BOX: 050051  
T +7 727 313 0168  
centralasia@tgood.com

### Southeast Asia

TGOOD Southeast Asia Sdn Bhd (1167407-T)  
32A Jalan 15/22,  
Taman Perindustrian Tiong Nam  
Sekayen 15, 40200 Shah Alam, Selangor, Malaysia  
T +603 5870 1050-1053  
seasia@tgood.com

### Mexico

TGOOD Mexico S. de. R.L. de C.V.  
Presidente Masaryk 111 Piso 1  
Col. Polanco V Sección  
11560 México, D.F.  
T +525541705597  
mexico@tgood.com

### Russia

TGOOD Russia LLC  
Technique Museum, Building B, Office 411,  
p.o. Arkhangelskoe, 143420 Moskovskaya oblast,  
Krasnogorsk district, Russian Federation  
T +7 499 110 43 28  
+7 919 182 91 03  
russia@tgood.com

Note: We reserve the right to make technical changes or modify the contents of this document without prior notice. With regard to purchase orders, the agreed particulars shall prevail. TGOOD does not accept any responsibility whatsoever for potential errors or possible lack of information in this document. We reserve all rights in this document and in the subject matter and illustrations contained therein. Any reproduction, disclosure to third parties or utilization of its contents – in whole or in parts – is forbidden without prior written consent of TGOOD.  
Copyright © 2017 TGOOD. All rights reserved