

Technical Rider Kolik váží vaše touha? /

What Is the Weight of Your Desire?

Soupis materiálu / Material requirements:













- 4 x PC 2Kw
- 13 x FR/ PC 1Kw + klapky/ *bandoors*
- 8 x Profil ETC 750W 25°- 50°
- 6 x assymetr. vana/ *floodlight single* 1Kw
- 12 x PAR 1Kw CP 62
- 13 x PAR 1Kw CP 61
- 18 x Pin spot 35W 4°
- 4 x Sunstrip 700W (20 x 35W, 35°)
- 12 x pozemní stativ/ *floor stand*


bílý baletizol/ *white dance floor* 10m x 10m + místo pro kapelu/ *place for music band* cca 3 x 10m

horizont černý tyl/ *horizont black shark*

černé šály, 2 vstupy po obou stranách/ *black wings, 2 enterings on each side*


výška/ *height* 6m

- 15x  PAR 1kw CP 61
- 10x  PAR 1kw CP 62
- 12x  FR 1kw + KLAPKY/ BANDDORS
- 4x  FC 2kw
- 4x  FR 2kw ARRIS T2 + KLAPKY/ BANDDORS
- 8x  PROFIL ETC 750w ZOOM 25°-50°
- 8x  VANA/ FLOOD LIGHT ASYMETR 1kw
- 18x  PIN SPOT 35°w 4°
- 4x  STATIV/ STAND FOR PIN SPOT VERTE
- 4x  SUN STRIP 750w
- 12x  POZEMNI STATIV/ STAND (10cm od země/ height)
- 5x  ZRCADLOVA FOLIE/ MIRROR VERTE DANCE



SOUND

ZRNÍ



ZRNÍ inputlist

<i>Stage Box</i>	<i>Source:</i>		<i>Mic:</i>	<i>Stands:</i>	<i>FOH insert</i>
1.	BD			small boom	comp. + gate
2.	SD				
3.	HI HAT				
4.	TOM 1				
5.	TOM 2				
6.	FLOOR TOM				gate
7.	OH L			tall boom	
8.	OH R			tall boom	
9.	BASS	XLR			
10.	EL. GUITAR	XLR	owns	med boom	
11.	AC. GUITAR	D.I. BOX			
12.	LOOPSTATION L	D.I. BOX			
14.	LOOPSTATION R	D.I. BOX			
15.	VIOLIN	XLR			
16.	ACCORDION L	XLR	owns		
17.	ACCORDION R	XLR	owns		
18.	VOCAL BACKLIGHT		shure sm 58	tall boom	comp.
19.	VOCAL LEAD		shure sm 58	tall boom	comp.
20.	VOCAL BACKLIGHT		shure sm 58	tall boom	comp.

ZRNÍ TECHNICAL REQUIREMENTS	
Platform for drums + carpet :	3 x 2 x (0,3 - 0,5) m
FOH mixpult	24 mono channels, 4-band parametrical eq 4 subgroups * FOH engineer positioned in the middle of auditorium on the floor
FOH insert/fx :	
EQ a Dynamic:	stereo 31 band EQ min. 2 channels comp/gate 4 channels comp
Fx :	Hall Delay
Monitor requirements :	min 5 AUX

Kontakty/ Contacts:

Lukáš Benda (světla/lights): +420 777 109 841, netluk@volny.cz

Karel Štulo (zvuk/sound): +420 607 169 364, k.schtulo@gmail.com

Karolína Hejnová (produkce/production): +420 731 519 670, karolina.hejnova@gmail.com