

A brand of passion

ELF Range for motorcycles

The No.1 formula for your engine



PARTS
EUROPE

elf 

NEW PACKAGING HIGHLIGHTS



**2-STROKE / 4-STROKE
INDICATION**

BIKE COLOR

RED: Fully Synthetic
ORANGE: Synthetic Based
BLUE: Automatic Scooters
PURPLE & GREY: Standard Mineral

UNIQUE PRODUCT BENEFIT

FRONT OF PACK



We are offering new, improved closures for our products with a new cap strategy.



Bigger labels with more space to display and read product information, benefits and technical details.

BACK OF PACK



Type of cap & international specifications

ELF PRODUCT RANGE

NOMENCLATURE



ELF MOTO

4T

2T



MOTO 4 RACE



MOTO 2 RACE



MOTO 4 TECH
MOTO 4 PROTECH
MOTO 4 MAXI TECH



MOTO 2 TECH



MOTO 4 TWIN TECH
MOTO 4 ROAD



MOTO 2 OFF ROAD



MOTO 4 CRUISE



MOTO 2 SELF MIX



ELF SCOOTER

4T

2T

**100%
SYNTHETIC**



**SYNTHETIC
TECHNOLOGY**



**SYNTHETIC
BASED**



MINERAL



SCOOTER 4 MAXI CITY



SCOOTER 2 STREET MAX



SCOOTER 4 CITY



SCOOTER 2 STREET



MOTO 4 SCOOTER



SCOOTER 2 SELF MIX

PRODUCT RANGE : ELF MOTO 4T

ELF MOTO 4 RACE

10W-60



100% SYNTHETIC

API SN

JASO MA2

SIZE	PART #
1 L	3601-1004
4 L	3601-1003
60 L	3601-1002
208 L	3601-1001

ELF MOTO 4 RACE is an innovative 100% synthetic lubricant for 4-stroke sports motorcycles. A flagship product with a very highly technical formulation and superior performances.

ELF MOTO 4 TWIN TECH

20W-60



SYNTHETIC BASED

API SN


JASO MA2

SIZE	PART #
1 L	3601-1014
4 L	3601-1013
208 L	3601-1012

ELF MOTO 4 TWIN TECH is a totally new next-generation, very high-tech lubricant especially developed for twin engines, guaranteeing exceptional performance and improving engine protection. It ensures optimal cleanliness of all engine parts and smooth gear changes.

ELF MOTO 4 TECH

10W-50



SYNTHETIC TECHNOLOGY

API SN

JASO MA2

SIZE	PART #
1 L	3601-1000
4 L	3601-0999
60 L	3601-0998
208 L	3601-0997

ELF MOTO 4 TECH is a fully synthetic 4-stroke engine oil specially designed for all types of motorcycles including racing bikes. It brings ultimate performance under all temperatures and improved power and acceleration whether on the road or on the track.

ELF MOTO 4 MAXI TECH

10W-30



SYNTHETIC TECHNOLOGY

API SJ

JASO MA

SIZE	PART #
1 L	3601-0992
60 L	3601-0990
208 L	3601-0989

ELF MOTO 4 MAXI TECH can generate fuel saving of up to 5% compared with a conventional 10W-40 oil. You therefore get more distance and help contribute to safeguarding the environment.

ELF MOTO 4 PRO TECH

5W-40



SYNTHETIC TECHNOLOGY

API SN

JASO MA2

SIZE	PART #
1 L	3601-0988
208 L	3601-0985

ELF MOTO 4 PRO TECH is recommended for all mechanically demanding 4-stroke motorcycle engines and is suitable for all urban traffic usage, country drives and high speed motorway journeys.

ELF MOTO 4 ROAD

10W-40, 15W-50



SYNTHETIC BASED

API SN

JASO MA2

SIZE (10W-40)	PART #
1 L	3601-0996
4 L	3601-0995
60 L	3601-0994
208 L	3601-0993
SIZE (15W-50)	PART #
1 L	3601-1007
60 L	3601-1006
208 L	3601-1005

ELF MOTO 4 ROAD is a synthetic based 4-stroke engine oil specially designed for motorcycles. It is specially designed to provide continuous performance for all riding conditions.

ELF MOTO 4 CRUISE

20W-50



MINERAL

API SL

JASO MA2

SIZE	PART #
1 L	3601-1011
4 L	3601-1010
60 L	3601-1009
208 L	3601-1008

ELF MOTO 4 CRUISE is formulated from mineral bases selected for 4-stroke engines, providing the engine with versatile protection.

PRODUCT RANGE : ELF MOTO 2T

ELF MOTO 2 RACE



100% SYNTHETIC

SIZE	PART #
1 L	3602-0173

ELF MOTO 2 RACE is a new generation 100% synthetic lubricant for 2-stroke sports motorcycles. A flagship product with a very high-performance sport formulation, specially developed to help reduce wear and protect the engine.

ELF MOTO 2 TECH



SYNTHETIC TECHNOLOGY

API TC

JASO FD

SIZE	PART #
1 L	3602-0175
208 L	3602-0174

ELF MOTO 2 TECH is a new generation synthetic high technology lubricant for 2-stroke motorcycle engines. An innovative and high-end formulation that guarantees power and engine cleanliness, thanks to the active deposit control technology.

The selected components provide a high safety margin for the engine and everything around it, for any extreme and lasting application.

ELF MOTO 2 OFF ROAD



SYNTHETIC BASED

API TC

JASO FD

SIZE	PART #
1 L	3602-0177
60 L	3602-0176

ELF MOTO 2 OFF ROAD lubricant recommended for all types of 2-stroke engine motorcycles. It is recommended for driving through urban traffic as well as rural conditions and for the most severe off road use. Protection, power, endurance: the additives selected, prevent deterioration due to moving part wear.

ELF MOTO 2 SELF MIX



MINERAL

API TC

JASO FB

SIZE	PART #
0,5 L	3602-0180
1 L	3602-0179
60 L	3602-0178

ELF MOTO 2 SELF MIX is a lubricant prepared with a base of selected mineral oils. Provides multi-protection for 2-stroke engines.

PRODUCT RANGE : ELF FORK OIL

ELF MOTO FORK OIL SYN

2,5W, 5W, 10W



SYNTHETIC TECHNOLOGY

SIZE (2,5W)	PART #
0,5 L	3609-0196
SIZE (5W)	PART #
0,5 L	3609-0197
SIZE (10W)	PART #
0,5 L	3609-0198

MOTO FORK OIL SYN is composed of synthetic bases and reinforced with specific additives which confer upon them numerous qualities, and especially a high anti-wear capacity. Excellent behaviour in air: limited bubbling and very rapid de-aeration. High oxidation resistance, which ensures exceptional service life; MOTO FORK OIL SYN also has excellent anti-rusting and anti-corrosion properties. Excellent compatibility with the elastomers used in motorcycle forks and shock absorbers.

ELF MOTO FORK OIL

10W, 15W, 20W



MINERAL

SIZE (10W)	PART #
0,5 L	3609-0199
SIZE (15W)	PART #
0,5 L	3609-0200
SIZE (20W)	PART #
0,5 L	3609-0201

ELF MOTO FORK OILS are composed of selected mineral compounds reinforced by special additives conferring upon them numerous qualities such as a high anti-wear capacity. This oil provides optimum damping all year round and is stable in time. Excellent behaviour in air: limited bubbling and very rapid de-aeration. Excellent compatibility with elastomers used in motorcycle forks and shock absorbers.

PRODUCT RANGE : ELF SCOOTER

ELF SCOOTER 4T

ELF SCOOTER 4 MAXI CITY



5W-40

SYNTHETIC TECHNOLOGY

API SL

SIZE	PART #
1 L	3601-1017
60 L	3601-1016
208 L	3601-1015

ELF SCOOTER 4 MAXI CITY is a synthetic technology lubricant designed for the most recent 4-stroke scooter engines. It allows reduced oil consumption and longer oil change intervals with easier cold starting, great flexibility and thermal resistance.

ELF MOTO 4 SCOOTER



10W-30

MINERAL

API SL

JASO MB

SIZE	PART #
1 L	3601-1019

ELF MOTO 4 SCOOTER is a premium 4-stroke engine oil specially designed for automatic scooters and gearless 2-wheelers. It is formulated to give Superior Protection along with Better Fuel Economy.

ELF SCOOTER 4 CITY



10W-40

SYNTHETIC BASED

API SN

JASO MB

SIZE	PART #
1 L	3601-1018

ELF SCOOTER 4 CITY is a specific lubricant for scooters, strengthened with synthetic base oils. Its anti-wear formulation guarantees optimal engine protection as well as driving comfort for four-stroke scooters.

ELF SCOOTER 2T

ELF SCOOTER 2 STREET MAX



SYNTHETIC TECHNOLOGY

API TC

JASO FD

SIZE	PART #
1 L	3602-0181

ELF SCOOTER 2 STREET MAX is a lubricant for the 2-stroke engines used on scooters. This high-end lubricant has been formulated for demanding users, who are looking for optimal output and engine protection security.

ELF SCOOTER 2 STREET



SYNTHETIC BASED

API TC

JASO FD

SIZE	PART #
1 L	3602-0182

ELF SCOOTER 2 STREET is a lubricant strengthened with selected synthetic base oils. Its formula is ideal for usage in all 2-stroke engines for scooters and mopeds. This product offers a quality compromise thanks to the anti-deposit and emission reducing technology of its formula.

ELF SCOOTER 2 SELF MIX



MINERAL

API TC

JASO FB

SIZE	PART #
1 L	3602-0183

ELF SCOOTER 2 SELF MIX is a lubricant with a base of selected mineral oils. Its formula is ideal for usage in all 2-stroke engines for scooters and mopeds. This product offers a quality compromise thanks to the anti-deposit and emission reducing technology of its formula.

PRODUCT RANGE

BIKE CARE – MAINTENANCE

MOTO AIR FILTER OIL



BLUE COLOR

SIZE	PART #
1 L	3610-0080

ELF MOTO AIR FILTER OIL is a penetrating oil for foam air filters. It has been specially developed to reduce the risks of breakdown and to extend engine life. Blue in colour.

MOTO MULTILUBE+



SPRAY

SIZE	PART #
0,4 L	3704-0465

ELF MOTO MULTILUBE+ is a multi-function aerosol. Lubricates, cleans and protects all of your motorcycle's vital components.

MOTO CHAIN LUBE



SPRAY

SIZE	PART #
0,4 L	3605-0137

ELF MOTO CHAIN LUBE is a very high performance grease for transmission chains. Its formulation has been specially developed in order to ensure optimum lubrication under the most severe usage conditions. Successfully tested during Motorcycle Grand Prix races and Rally Raids.

MOTO SPRAY SILICONE



SPRAY

SIZE	PART #
0,4 L	3713-0118

ELF MOTO SILICONE SPRAY is a special product as aerosol to be used for the maintenance of the motorcycle. It protects all metal, leather and plastic parts of the bike leaving a lustrous shine. It is transparent and extremely water repellent.

BIKE CARE – MAINTENANCE

MOTO DEGREASER+



SPRAY

SIZE	PART #
0,4 L	3704-0466

ELF MOTO DEGREASER+ is a dry cleaner for brakes, carburetors, spark plugs and metallic surfaces. Multi-usage grease remover and cleaner for all motorcycle parts. Quickly removes grease, leaving no residue. Practical spray for reaching the most inaccessible places. Pressure spray in order to dislodge even the stickiest grime.

MOTO CHAIN PASTE



SIZE	PART #
0,25 L	3607-0062

ELF MOTO CHAIN PASTE is a new generation extreme pressure grease for engine chains. Water-resistant, it provides for exceptional lubrication, even under the most severe usage conditions.

PRODUCT RANGE

ELF BRAKE FLUID

ELF MOTO BRAKE FLUID DOT 4



SIZE	PART #
0,5 L	3703-0076

ELF MOTO BRAKE FLUID DOT 4 is particularly suitable for braking systems operating under very harsh conditions. Miscible with all other chemical synthetic fluids of the DOT3, DOT4 and DOT5.1 type with the exception of silicon DOT 5 fluids and special fluids of the LHM type.

ELF MOTO BRAKE FLUID DOT 5.1



SIZE	PART #
0,5 L	3703-0077

ELF MOTO BRAKE FLUID DOT 5.1 is a very high-performance synthetic, silicon-free premium quality brake fluid. Stable and non-compressible at all temperature. It provides maximum safety for all braking systems even under severe usage.

ELF TRANSMISSION OIL

ELF MOTO GEAR OIL



80W-90

SIZE	PART #
1 L	3606-0042

This transmission fluid affords gear shift precision and smoothness even in cold weather. Reduce wear, its anti-corrosion, good cold-running properties, anti-oxidant and thermally very stable. Formula without triction modifier, efficiency proven by users. "The clutch no longer slips". It's high shear and oxidation resistance provides maximum long-lasting protection.

A brand of passion

